




CIRRUS photo from ZEISS
Certainty meets versatility





ZEISS CIRRUS photo

One system for fundus imaging and OCT


Broader clinical insights, greater diagnostic certainty and added practice value – the new CIRRUS™ photo from ZEISS delivers all that in a single, integrated system for both fundus imaging and OCT.

ZEISS CIRRUS photo combines a full mydriatic/non-mydriatic fundus camera with proven CIRRUS HD-OCT technology in one compact and highly versatile system. Available in two models, ZEISS CIRRUS photo 600 and ZEISS CIRRUS photo 800, it provides multiple insights for comprehensive retina and posterior segment care.

Visualize findings from various modalities. Correlate data from high-density OCT cubes, thickness and layer maps with results from superb color fundus images as well as fundus autofluorescence and fluorescein angiography* images. All in one convenient sitting.

Achieve a more comprehensive clinical evaluation. Save time and space. Enhance the examination experience for your patients and staff.

Have it all in a single system for fundus imaging and OCT.



*Only with ZEISS CIRRUS photo 800

Broader clinical insights

By simultaneously providing high-quality fundus images and OCT scans, ZEISS CIRRUS photo facilitates broader, more comprehensive diagnostic insights. Each modality by itself is a premier quality diagnostic instrument. Together, they enable you to characterize and examine the patient's condition more completely and easily.

A fundus camera ...

ZEISS CIRRUS photo is a full-featured mydriatic/ non-mydriatic fundus camera.



Exceptional visualizations

Legendary ZEISS optics let you visualize findings with high-resolution clarity and sharpness.

Single-shot fundus autofluorescence



Fundus autofluorescence imaging designed for fast and easy assessment of dry AMD.

High-resolution angiographies

Also available with fluorescein angiography* and indocyanine green angiography*, ZEISS CIRRUS photo equips you with a more detailed diagnostic view.

... and a CIRRUS HD-OCT

ZEISS CIRRUS photo incorporates unsurpassed OCT technology with its proven ZEISS CIRRUS HD-OCT capabilities.




Great detail density

Highly dense OCT data cubes make even the smallest details clearly visible.

Analysis you can trust


Detailed OCT scans and change analyses provide highly reliable diagnostic data in seconds.

* Only with ZEISS CIRRUS photo 800




Interactive review

The system's one-of-a-kind MultiMode Navigator enables interactive analysis of registered fundus images and OCT cube scans – horizontal and vertical direction.



Precise registration


OCT scans are automatically registered with different types of fundus images including color fundus, angiography* and fundus autofluorescence images, bringing depth to your analysis.



Multimodal assessments

ZEISS CIRRUS photo allows you to conduct examinations with various modalities and to correlate the findings at one single workstation. Every fundus image can also be registered independently of the acquisition sequence, along with other flexible combinations.

(inset magnified to show detail)




Orientation at a glance


Whether for a quick overview or point-by-point comparisons, thumbnails provide at-a-glance insights.

Versatile visualizations


Harada's disease




Retinal pigment epithelial detachment








Proliferative diabetic retinopathy



Glaucoma







Greater diagnostic certainty


Comprehensive, high-quality diagnostics form the basis for informed decisions. With its superb multimodality visualizations, ZEISS CIRRUS photo delivers exceptional insights, supporting greater diagnostic accuracy and certainty.

Extraordinary image quality


ZEISS CIRRUS photo features standard-setting ZEISS CIRRUS HD-OCT technology and a full-featured mydriatic/nonmydriatic fundus camera. The result – visualizations of a quality that is truly extraordinary.



Overview at a glance



See the details





Algorithm excellence

ZEISS and its research collaborators have developed advanced algorithms to measure and display layers.

Accurate centering

FoveaFinder™ and AutoCenter™ automatically ensure that measurements are made in the correct locations, taking the pressure off the operator to perfectly center the scans.

Comparison capabilities

CIRRUS data cubes are automatically registered with data from prior visits, allowing for more detailed comparisons.

Normative databases

Diversified normative databases for ONH, RNFL and macular thickness facilitate even more at-a-glance assessments.

Specific fundus details

Enabling efficient cross-modality analysis, ZEISS CIRRUS photo allows easy switching between fundus images registered with OCT scans and maps.


Fundus and OCT details in one view

ZEISS CIRRUS photo delivers combined fundus and OCT reports that enable quick, at-a-glance assessments for a wide variety of retina and posterior segment disorders.




Get the complete picture in a single view


ONH & RNFL OU Analysis



Single Eye Analysis



GPA Analysis



Enhanced HD Raster Single Line

Demo, Case 142 56024 Female 11/15/1931 OD/Right OS/Left Tools

10/17/2012	HD 5 Line Raster 11:26:42 AM HD 5 Line Raster 11:25:50 AM Macular Cube 512x128 11:24:43 AM	HD 5 Line Raster 11:30:29 AM HD 5 Line Raster 11:29:28 AM Macular Cube 512x128 11:28:25 AM	High Definition Images
------------	--	--	------------------------

Signal Strength 10/10 Scan angle: 0° Spacing: 0 mm Length: 6 mm

Finish

Enhanced HD 5 Line Raster

Demo, Case 143 56823 Male 4/14/1927 OD/Right OS/Left Tools

10/17/2012	HD 5 Line Raster 11:48:41 AM Macular Cube 512x128 11:43:07 AM	High Definition Images
------------	--	------------------------

Signal Strength 9/10 Scan angle: 0° Spacing: 0.25 mm Length: 6 mm

Finish

Anterior Segment


Demo, Case 152 58450 Female 10/05/1982 OD/Right OS/Left Tools

10/17/2012	Anterior Segment Cube 512x128 2:21:09 PM HD 5 Line Raster 2:18:49 PM HD 5 Line Raster 2:16:40 PM Macular Cube 512x128 2:15:28 PM Macular Cube 512x128 2:06:56 PM	3D Visualization Anterior Segment Analysis
------------	--	---


High-definition mode

Finish


Macular Thickness Analysis



Macular Change Analysis



Advanced Visualization




ZEISS CIRRUS photo offers a versatile suite of OCT analyses, which means more insight into your treatment decisions.

Added practice value

As a highly efficient and versatile instrument, ZEISS CIRRUS photo offers substantial value. In addition to streamlining your workflow and supporting more comprehensive assessments, it saves time and space. By eliminating the need to move patients to another instrument, it also enhances the examination experience – for patients and practice staff alike.



ZEISS CIRRUS photo – a single workstation complete with joystick, keyboard and TFT monitor for comprehensive clinical evaluations.



More clinical efficiency

With ZEISS CIRRUS photo, you can add a color fundus image to an OCT examination for additional assessment – in seconds and without additional dilation.

More practice efficiency

The ability to capture all necessary fundus images and HD-OCT scans in a single patient setup saves you time and space. As such, ZEISS CIRRUS photo is ideally suited for comprehensive practices working with or without angiography.

More time for patients

Easy, convenient and operator-independent storage of CIRRUS photo data is provided by FORUM® from ZEISS. Via the ZEISS FORUM Archive & Viewer, you can effortlessly exchange examination results with EMR systems and other diagnostic instruments – even with other practice sites.

More flexibility

Featuring a modular design, ZEISS CIRRUS photo lets you individually choose the diagnostic modalities and clinical insights best suited for your practice needs – whether OCT, color and red-free fundus imaging, fundus autofluorescence, fluorescein angiography, ICG angiography, and anterior segment.

Image courtesy of:

- Annette Brusis MD, Eye Center Heppenheim Dr. Wolff, Dr. Brusis, Dr. Köster, Germany (p. 2, 11)
- Antonio Ferreras MD, Miguel Servet University Hospital, Spain (p. 6, 7, 11)
- Matthias Jütte MD, Ophthalmic Practice Jütte, Jurkutat, Ilgner, Germany (p. 4, 8)

Technical data

Main system	ZEISS CIRRUS photo 600/800
Field angle	45° and 30°
Pupil diameter	≥ 4.0 mm; ≥ 3.3 mm (30° small pupil mode) ≥ 2.0 mm for OCT scans only
Refractive error compensation	+35 D ... -35 D, continuous
Working distance	40 mm (patient's eye – front lens)
Fixation targets	External and internal
Internal	Attention mode and free position or programmed sequences
Database	Patient information and images with field angle, FA time, R/L recognition and date of visit are stored
Monitor	23" TFT (1920 x 1200)
Instrument table	Asymmetric, suitable for wheelchairs
Accessories	Network printer, sliding keyboard shelf, network isolator, FORUM eye care data management system

Fundus camera

Capture modes	Color, red-free, blue, red and fundus autofluorescence pictures, as well as pictures of the anterior segment, CIRRUS photo 800 only: + fluorescein angiography and ICG angiography
Filters	Filters for green, blue and fundus autofluorescence images, UV/IR barrier filters CIRRUS photo 800 only: + FA + ICGA: exciter and barrier filters
Capture sequence	From 1.5 seconds (depends on flash energy)
Capture sensor	CCD 5.0 megapixels
Xenon flash lamp	24 flash levels (80 Ws maximum)

OCT

Technology	Spectral domain OCT
Optical source	Superluminescent diode (SLD), 840 nm
Scan speed	27,000 A-scan per second
A-scan depth	2.0 mm (in tissue), 1024 points
Resolution	Axial 5 µm (in tissue), transverse 15 µm (in tissue)

Computer

Operating system	Windows Embedded
Hard drive	Storage of over 30,000 fundus images with OCT cube scans (present size: 320 GB)
Interfaces	USB ports and network connectors, DVI port
Export/import	Image formats: BMP, TIFF, JPEG, PNG Patient list, DICOM MWL, DICOM storage

Dimensions

Main unit	410 mm x 480 mm x 680 mm (W 16.1 x D 18.9 x H 26.8 inches)
Weight (main unit)	33 kg (72.7 lbs)
Rated voltage	230 V AC (± 10 %); 50/60 Hz or 100 V to 127 V AC (± 10 %); 50/60 Hz (depends on country)
Frequency	50/60 Hz
Power consumption	400 VA (w/o instrument table)

Identifying subtle changes in pathology.

ZEISS CIRRUS Photo

// RELIABILITY
MADE BY ZEISS

CE 0297



Carl Zeiss Meditec Inc.
5160 Hacienda Drive
Dublin, CA 94568
USA
www.zeiss.com/med



Carl Zeiss Meditec AG
Goeschwitzer Str. 51-52
07745 Jena
Germany
www.zeiss.com/med

EN_31_010_0010III Printed in Germany. CZ-III/2017 International edition: Only for sale in selected countries.
The contents of the brochure may differ from the product's current approval status of approval in your country. Please contact our regional representative for more information. Subject to change in design and scope of delivery and as a result of ongoing technical development: CIRRIUS, FORUM, Advanced Visualization, Guided progression Analysis, GPA, Fovea Finder, AutoCenter are registered trademarks of Carl Zeiss Meditec AG or other companies of the ZEISS Group in Germany and/or other countries.
© Carl Zeiss Meditec AG, 2017. All copyrights reserved.